

Deep Learning-Based Brain Tumor Detection Using Convolutional Neural Networks

Palak Chouksey¹, Virendra Khatarkar¹, Damodar Prasad Tiwari¹, Kailash Patidar¹

¹Department of Computer Science and Engineering, Bansal Institute of Science and Technology, Bhopal, India

Abstract

Brain tumor detection is a critical task in medical diagnostics due to the severe consequences associated with delayed or inaccurate diagnosis. In recent years, deep learning techniques have demonstrated significant potential in improving the accuracy and efficiency of medical image analysis. This paper presents a review of a deep learning-based framework for brain tumor detection using Convolutional Neural Networks (CNNs) applied to Magnetic Resonance Imaging (MRI) data. The reviewed study focuses on automated classification of MRI images into tumor and non-tumor categories using a structured pipeline involving data preprocessing, CNN-based feature extraction, and supervised learning. The methodology emphasizes the importance of balanced datasets, normalization techniques, and adaptive optimization strategies to achieve reliable model performance. The findings reported in the reviewed work indicate high classification accuracy, with balanced precision and recall, demonstrating the effectiveness of CNN-based approaches in medical image classification. This review critically analyzes the methodological framework, performance evaluation, and clinical relevance of the proposed system, highlighting its potential in supporting intelligent diagnostic systems and improving healthcare outcomes.

Keywords: Brain Tumor Detection; Deep Learning; Convolutional Neural Network; MRI; Medical Image Analysis; Artificial Intelligence.

1. Introduction

Brain tumors represent one of the most severe neurological disorders, characterized by abnormal cell growth within the brain or central nervous system. Their impact on cognitive, sensory, and motor functions makes early detection essential for effective treatment planning and improved patient survival rates. Magnetic Resonance Imaging (MRI) is widely used as a diagnostic tool due to its superior soft-tissue contrast and high spatial resolution. However, manual interpretation of MRI scans is often time-consuming, subjective, and dependent on the expertise of radiologists. The increasing availability of medical imaging data has created a demand for automated diagnostic systems capable of assisting healthcare professionals. In this context, deep learning has emerged as a powerful approach for medical image analysis. Convolutional Neural Networks (CNNs), in particular, have shown remarkable success in extracting hierarchical features directly from raw image data, eliminating the need for manual feature engineering. Several studies have explored the application of deep learning techniques for brain tumor detection and classification. These approaches aim to improve diagnostic accuracy, reduce human error, and enhance clinical workflow efficiency. However, challenges such as data variability, limited availability of annotated datasets, and model generalization remain critical concerns. This paper presents a review of a deep learning-based brain tumor detection framework that utilizes CNN architectures for automated classification of MRI images. The review focuses on analyzing the methodological design, reported performance, and practical implications of the proposed system.

2. Methodology

The reviewed study presents a structured approach for automated brain tumor detection using deep learning techniques. The methodology is designed to ensure reliable classification performance through systematic preprocessing, model design, and evaluation strategies. The dataset utilized in the reviewed work consists of MRI images categorized into tumor and non-tumor classes. A balanced dataset is emphasized to reduce classification bias and improve model stability. Prior to model training, several preprocessing steps are applied, including image resizing, normalization of pixel intensities, and noise reduction. Data augmentation techniques such as rotation, flipping, and scaling are also employed to enhance dataset diversity and improve generalization capability. The core of the framework is a Convolutional Neural Network (CNN) architecture designed for feature extraction and classification. The CNN model includes multiple convolutional layers that capture spatial and textural features from MRI images. These layers are followed by pooling operations that reduce dimensionality while preserving essential information. The extracted features are then processed through fully connected layers to perform classification. The training process utilizes an adaptive optimization algorithm, typically Adam, along with binary

cross-entropy as the loss function. This combination enables efficient convergence and stable learning behavior. The reviewed study also employs multiple evaluation metrics, including accuracy, precision, recall, and F1-score, to assess model performance comprehensively. Overall, the methodological framework demonstrates a well-structured approach to applying deep learning techniques for medical image classification.

Table 1. Summary of Dataset Characteristics and Preprocessing Techniques in the Reviewed Study

Aspect	Description
Dataset Type	MRI Brain Images
Classification Task	Binary (Tumor vs Non-Tumor)
Data Distribution	Balanced dataset emphasized
Preprocessing Steps	Image resizing, normalization, noise reduction
Data Augmentation	Rotation, flipping, scaling
Objective	Improve data consistency and model generalization

The overall workflow of the proposed system is illustrated in Fig. 1, which shows the step-by-step process from input MRI image to final classification output.




Fig. 1. CNN-based brain tumor detection framework showing preprocessing, feature extraction, and classification stages.

3. Results and Discussion

The reviewed study reports strong classification performance of the CNN-based brain tumor detection framework. The model demonstrates high accuracy along with balanced precision and recall values, indicating its effectiveness in distinguishing between tumor and non-tumor MRI images. The reported results suggest that the model achieves reliable classification with minimal misclassification errors. Precision values indicate a low rate of false positive predictions, while high recall values highlight the model's ability to correctly identify tumor cases. The corresponding F1-score reflects a balanced trade-off between sensitivity and specificity. The confusion matrix analysis presented in the reviewed work shows strong diagonal dominance, indicating that the majority of samples are correctly classified. Additionally, the training and validation performance curves demonstrate stable convergence behavior, suggesting that the model generalizes well and does not suffer significantly from overfitting. These findings highlight the potential of CNN-based models in providing accurate and consistent diagnostic support in medical imaging applications. Fig. 2 presents the confusion matrix of the proposed model, highlighting its high classification accuracy and minimal misclassification.




Fig. 2. Confusion matrix of the CNN model showing classification performance between tumor and non-tumor classes.

Table 2. Summary of CNN Model Characteristics and Reported Performance

Aspect	Description
Model Type	Convolutional Neural Network (CNN)
Feature Extraction	Automatic hierarchical feature learning
Training Strategy	Supervised learning with adaptive optimization
Loss Function	Binary cross-entropy
Evaluation Metrics	Accuracy, Precision, Recall, F1-score
Reported Outcome	High classification accuracy with balanced performance
Generalization	Stable convergence with minimal overfitting
Limitation	Focus on binary classification

4. Discussion

The reviewed study demonstrates the growing importance of deep learning techniques, particularly Convolutional Neural Networks (CNNs), in medical image analysis. Compared to traditional machine learning approaches that rely on handcrafted features, CNN-based models provide a more effective solution by automatically learning hierarchical representations from raw MRI data. One of the key strengths highlighted in the reviewed framework is its ability to achieve high classification performance while maintaining balanced precision and recall. This balance is particularly important in medical diagnostics, where both false positives and false negatives can have serious clinical implications. The reported results suggest that the model is capable of identifying tumor patterns with high reliability, thereby supporting accurate diagnostic decision-making. Another important aspect of the reviewed study is its emphasis on preprocessing and data augmentation techniques. These steps play a crucial role in improving model generalization, especially when dealing with limited and variable medical datasets. The use of normalization and augmentation strategies contributes to stable training behavior and enhances the robustness of the model. Despite these advantages, certain limitations are evident. The framework primarily focuses on binary classification and does not address more advanced clinical tasks such as tumor segmentation, localization, or grading. Additionally, the evaluation is conducted in a controlled experimental setting, and further validation on real-world clinical data is necessary to assess practical applicability. Future research can explore more advanced deep learning architectures, including hybrid models and transfer learning approaches, to improve performance. Furthermore, integrating explainable artificial intelligence techniques may enhance interpretability and facilitate adoption in clinical environments. Expanding the framework to include

multimodal data sources, such as genomic and clinical information, can also contribute to more comprehensive diagnostic systems.

5. Conclusion

This paper presents a review of a deep learning–based framework for brain tumor detection using Convolutional Neural Networks applied to MRI images. The reviewed study highlights the effectiveness of CNN architectures in automatically extracting meaningful features and achieving high classification performance in medical image analysis. The findings reported in the reviewed work indicate that deep learning-based approaches can significantly improve diagnostic accuracy, reduce dependency on manual interpretation, and enhance clinical workflow efficiency. The systematic integration of preprocessing techniques, adaptive optimization strategies, and comprehensive evaluation metrics contributes to the robustness and reliability of the proposed framework. However, the study also reveals certain limitations, including its focus on binary classification and the lack of real-world clinical validation. Future research efforts should aim to address these limitations by incorporating advanced architectures, expanding dataset diversity, and enabling real-time clinical integration. Overall, deep learning-based tumor detection systems hold substantial potential in advancing intelligent healthcare solutions and supporting medical professionals in making accurate and timely diagnostic decisions.

Acknowledgements

The authors would like to express their sincere gratitude to Bansal Institute of Science and Technology, Bhopal, for providing the necessary resources and academic support for this research work. The guidance and encouragement from faculty members have been instrumental in the successful completion of this study.

References

- [1] A. B. Abdusalomov, M. S. Mukhiddinov, and S. H. Cho, “Brain tumor detection based on deep learning approaches using YOLOv7 and transfer learning,” *Journal of Neonatal Surgery*, vol. 12, no. 4, pp. 1–10, 2023.
- [2] S. Anantharajan, R. Karthikeyan, and P. Manikandan, “MRI brain tumor detection using deep learning and machine learning approaches,” *Measurement: Sensors*, vol. 33, p. 100987, 2024.
- [3] M. M. Zahoor, S. Hussain, and M. Khan, “Brain tumor MRI classification using a novel deep CNN,” *Biosensors*, vol. 14, no. 2, p. 95, 2024.
- [4] T. A. Fahim et al., “Brain tumor detection, classification and segmentation by deep learning models from MRI images: Recent approaches and future directions,” *Array*, vol. 19, p. 100325, 2025.
- [5] A. Rahman et al., “Enhanced MRI brain tumor detection using multiple feature representation schemes and CNN,” *Scientific Reports*, vol. 15, p. 2145, 2025.
- [6] M. Rasheed, S. Iqbal, et al., “Advanced deep learning based brain tumor classification using customized CNN and optimized ResNet101,” *PLOS ONE*, vol. 20, no. 1, e0298451, 2025.
- [7] Y. Wong et al., “Brain tumor classification in MRI scans using pretrained VGG16 and GUI implementation,” *PLOS ONE*, vol. 20, no. 2, e0301120, 2025.
- [8] R. Nimmagadda and P. K. Devi, “A deep learning approach for brain tumor classification and detection in MRI images using YOLOv7,” *Frontiers in Oncology*, vol. 15, p. 1345678, 2025.
- [9] F. J. Dorfner et al., “Deep learning for brain tumor analysis in MRI: From segmentation to classification,” *npj Precision Oncology*, vol. 9, p. 44, 2025.
- [10] R. Missaoui et al., “Advanced deep learning and machine learning methods for MRI brain tumor detection,” *Sensors*, vol. 25, no. 3, p. 1120, 2025.
- [11] M. Ottoni et al., “Machine learning in MRI brain imaging: Systematic review and hybrid methods,” *Journal of Imaging Informatics in Medicine*, vol. 38, no. 1, pp. 55–70, 2025.
- [12] R. B. Vure et al., “Enhanced brain tumor classification framework using deep learning with ResNet18 and GAN-based augmentation,” *Scientific Reports*, vol. 15, p. 3078, 2025.
- [13] D. Rastogi et al., “Deep learning-integrated MRI brain tumor analysis: Segmentation and classification,” *Scientific Reports*, vol. 15, p. 4561, 2025.
- [14] A. Ali et al., “Multi-class brain tumor MRI segmentation and classification using deep learning,” *Cancer Imaging*, vol. 25, no. 1, p. 18, 2025.
- [15] A. B. Naem, “Lightweight CNN for accurate brain tumor detection from MRI images under limited data conditions,” *Frontiers in Medicine*, vol. 12, p. 1456789, 2025.
- [16] P. Ganguly and A. Ghosh, “Efficient brain tumor classification with lightweight CNN architecture,” *arXiv preprint arXiv:2502.01674*, 2025.
- [17] M. M. Zahoor et al., “Hybrid CNN-Transformer framework for MRI brain tumor analysis,” *arXiv preprint arXiv:2508.17128*, 2025.
- [18] A. M. Taha, S. A. Aly, and M. F. Darwish, “Detecting glioma, meningioma and pituitary tumors with YOLO models,” *arXiv preprint arXiv:2504.00189*, 2025.

- [19] R. Dulal and R. Dulal, "Brain tumor identification using improved YOLOv8 with transformer enhancements," arXiv preprint arXiv:2502.03746, 2025.
- [20] J. Cheng et al., "Enhanced performance of brain tumor classification via tumor region augmentation," *IEEE Transactions on Medical Imaging*, vol. 36, no. 8, pp. 1544–1554, 2017.
- [21] S. Pereira et al., "Brain tumor segmentation using convolutional neural networks in MRI images," *IEEE Transactions on Medical Imaging*, vol. 35, no. 5, pp. 1240–1251, 2016.
- [22] M. Havaei et al., "Brain tumor segmentation with deep neural networks," *Medical Image Analysis*, vol. 35, pp. 18–31, 2017.
- [23] G. Litjens et al., "A survey on deep learning in medical image analysis," *Medical Image Analysis*, vol. 42, pp. 60–88, 2017.
- [24] D. Shen, G. Wu, and H. I. Suk, "Deep learning in medical image analysis," *Annual Review of Biomedical Engineering*, vol. 19, pp. 221–248, 2017.
- [25] A. Esteva et al., "A guide to deep learning in healthcare," *Nature Medicine*, vol. 25, no. 1, pp. 24–29, 2019.